READ SAFETY DIRECTIONS BEFORE OPENING OR USING



WETTER - SPREADER

Surfactant to enhance spreading and retention of pesticide sprays.

For use in situations where low aquatic toxicity is required.



10 LITRES



HAZARD CLASSES 9.1D Slightly harmful to the aquatic environment. HSR002503

ENVIRONMENTAL WARNING: Avoid contaminating waterways with concentrate or empty containers. At sufficiently high exposure levels surfactants of any class are toxic to aquatic organisms. At typical use concentrations toxic dose effects will be low and will drop below toxic

threshold. Product is readily biodegradable.

PRODUCT DISPOSAL: Do not allow product to enter waterways, drains or sewers. Absorb spillage on inert material such as soil and dispose of in a suitable landfill.

CONTAINER DISPOSAL: Triple rinse container and return to recycler. Alternatively, ensure container is completely empty, burn if permitted and circumstances, especially wind direction allow, otherwise bury in

HANDLING PRECAUTIONS: When mixing or applying wear protective clothing, goggles or face shield and respirator if risk of inhalation. Do

not eat or drink while using. Wash hands and face before meals and after work. Wash protective clothing after work.

STORAGE: Store in original container tightly closed and in dry, cool,

well ventilated area, away from foodstuffs.

FIRST AID: If swallowed DO NOT induce vomitting. Rinse mouth with water and give water to drink. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin, hair or eye contact occurs, remove contaminated clothing and flush skin, hair and/or eyes with running water for several minutes. Additional information is contained in the Material Safety Data Sheet which is available from the reseller at point of purchase or visit www.sstnewzealand.co.nz for alternate contact details.

SITUATION	APPLICATION RATE/100 L	CRITICAL COMMENTS
Herbicides Glyphosates Knockdowns Other herbicides	200 - 400mL 200 - 400mL	Aquakynde assists deposition, spreading and coverage of pesticide sprays on plant surfaces. Aquakynde is typically applied at 250 - 300mL/100Ltr. Higher rates will provide better performance on hard to kill weeds.
Aerial application	0.6 – 1.2 Ltr/Ha	Aquakynde will produce foam under agitation. In these cases addition of Foamex to the spray tank is recommended.
Fungicides / Insecticides Micronútrients	50 – 100mL	Aquakynde can be used in most horticultural sprays.

GENERAL INSTRUCTIONS

Aquakynde assists to increase spread, coverage and deposition of pesticide or micronutrient sprays in sensitive situations where very low pesticide or micronument sprays in sensitive situations where very low environmental and aquatic toxicity is required. Aquakynde has very low toxicity and is readily biodegradable. Always follow the label directions of the product to be applied. As effects of adjuvants can vary depending upon water quality, weather conditions and plant vigor it is advisable to determine the optimum rate of Aquakynde by application to a small trial area before full scale application is undertaken. Aquakynde is made from naturally derived raw materials.

Fill the spray tank 75% with water and all other ingredients under agitation. Top up spray tank with water and add required amount of

CONDITIONS OF SALE: The use of Aquakynde being beyond the control of the manufacturer, no warranty expressed or implied is given

by SST New Zealand LTD. regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and SST New Zealand LTD. accepts no responsibility for any consequences whatsoever resulting from the use of this product.

IN AN EMERGENCY PHONE NZ NATIONAL POISONS INFORMATION CENTRE 0800 POISON (0800 764 766)

Batch No: Date of Manufacture



