

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SURE-CANE™

Spreader-Activator
Reduces Spray drift

Active constituent: Organosilicone Surfactant and synthetic polymer drift
retarding agents

Surfactant blend to enhance spreading and retention of Hydrogen Cyanamide and other
foliar-applied products on kiwifruit. Assists reduction of spray drift when applied with air
inclusion nozzles

Net contents: 5L and 20L



HAZARD CLASSES H318 H412**HSR002503**

SAFETY WARNING: Harmful. Causes serious eye damage, may cause skin irritation

ENVIRONMENTAL WARNING: Harmful to aquatic environment with long lasting effects.
Avoid contaminating waterways.

PRODUCT DISPOSAL: Do not allow product to enter waterways, drains or sewers. Absorb spillage on inert material such as soil and dispose of in a suitable landfill.

CONTAINER DISPOSAL: Triple rinse container and return to recycler. Alternatively, ensure container is completely empty, burn if permitted and circumstances especially wind direction allow, otherwise bury in landfill.

HANDLING PRECAUTIONS: When mixing or applying wear protective clothing, goggles or face shield and respirator if risk of inhalation. Do not eat or drink while using. Wash hands and face before meals and after work. Wash protective clothing after work

STORAGE: Store in original container tightly closed and in a dry, cool, well-ventilated area out of direct sunlight and away from foodstuffs.

FIRST AID: If swallowed, DO NOT Induce vomiting. Rinse mouth with water and give water to drink. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin, hair or eye contact occurs, remove contaminated clothing and flush skin, hair and/or eyes with running water for several minutes. Additional information is contained in the additional Safety Data Sheet which is available from the reseller at point of purchase or visit www.agrioncropsolutions.com for alternate contact details.

DIRECTIONS FOR USE:

Situation	Application Rate/100L	Critical comments
Horticulture	50-250mL	Sure-Cane assists deposition, spreading and coverage of canes and plant surfaces and reduces spray drift. Sure-Cane is typically applied at 150mL/100L. Higher rates will provide greater reduction in spray fines – leading to improved spray drift control when applied with air inclusion nozzles.
Hydrogen Cyanamide and other foliar-applied products in Kiwifruit		

GENERAL INSTRUCTIONS: Sure-Cane assists to reduce spray drift and is recommended for use in drift sensitive situations. Use with air inclusion nozzles will help to reduce spray fines that contribute to spray drift. A higher rate of Sure-Cane will produce a greater reduction in spray fines. Increased speed, coverage and deposition is achieved with use of Sure-Cane, however at high rates this could increase the risk of damage to canes and target plants. The risk is enhanced in humid or slow-drying conditions or when canes are damaged or stressed. Always follow the label directions of the product to be applied. As effects of adjuvants can vary upon water quality, weather conditions and plant vigor it is advisable to determine the optimal rate of Sure-Cane by application to a small trial area before full-scale application is undertaken. Sure-Cane is Nonylphenol free.

MIXING: Fill the spray tank 75% with water and all other ingredients under agitation. Top up spray tank with water and add the required amount of Sure-Cane. Shake container well before addition of Sure-Cane. Apply tank contents within 24 hours.

COMPATIBILITY: Sure-Cane is compatible with Hi-Cane®, Keystrepto™, Champion™, Kasumin®, Prodigy® SC, Luna® Privilege, Talstar® 100 EC and Waiken®.

CONDITIONS OF SALE

The use of Sure-Cane being beyond the control of the manufacturer, no warranty expressed or implied is given by Agrion Crop Solutions Limited or its agent regarding its suitability, fitness or efficacy for any purpose for which it is used by the buyer, whether in accordance with the instructions or not and Agrion Crop Solutions Limited or its agent accepts no responsibility for any consequences whatsoever resulting from the use of the product.

TM *SURE-CANE is a trademark of Agrion Crop Solutions Limited or its Affiliates.*

Agrion Crop Solutions Limited

119 Carbine Road, Mount Wellington

Auckland 1060

NEW ZEALAND

PHONE +64 9 9884 6358

Batch No.

Date of Manufacture

IN AN EMERGENCY PHONE NUMBER IS
NATIONAL POISONS CENTRE
0800 POISON (0800 764 766)
24 Hr phone No. 0800 154 666

